

FASHIONED IN ITALY
ENGINEERED IN JAPAN


ARIAFINA



Ariafina premium cooker hoods.

Where beauty and sophistication meet advanced technology. Fuji Industrial boasts a solid reputation in Japan, where quality requirements are consistently strict.

Ariafina combines leading-edge Italian design with high extraction performance only made possible thanks to a thorough knowledge of the various cooking methods typical of European and Asian food cultures.



DESIGN 設計

Ariafina Cares about every details, besides seamless structure for easy cleaning, stainless steel and colorful finishing makes your kitchen elegant and gorgeous, guaranteed the best cooking experience for you!

Ariafina設計在每一個細節上照顧周全，除了機身一體打壓無縫技術縮短清潔時間，不銹鋼外殼的使用也令廚室更端莊、更美觀，保證每次使用都有最佳煮食體驗！

TECHNOLOGY 技術

The Powerful sirocco fan ensures that it operates in minimal noise level without comprising on its suction effectiveness. It also helps to handle grease and smoke from various cooking method with a stable air flow!

不同時令的食材配合不同的烹調方法，讓人品嚐出食物的鮮味！特大渦輪風扇，能應付不同烹調方法所釋出的油煙，擁有穩定的吸油煙效能，締造一個良好的煮食環境！

QUALITY 質素

Each cookerhood is developed and manufactured with exceptional care to meet stringent quality test requirement, ensuring function-design consistency and confidence in quality.

滿足常使用吸油煙機的用戶，從設計到生產過程，每一部油煙機的機身都細心打磨，配件也作出嚴謹的測試，確保油煙機設計和功能上更一致，加強品質信心。



1 - YEAR
Limited Warranty

For greater peace of mind, be assured that Ariafina's superior quality and workmanship will deliver many years of satisfaction.

*Specifications may vary according to models.

超凡品質

Distinguished Quality



JAPAN
MADE



ITALIAN
DESIGN



"i-DROP" OIL COLLECTING SYSTEM i-DROP 過濾系統

Federica FD-900 features the unique i-Drop system

Oily fumes are effectively removed through the serrated surface inside the Central Cartridge which traps oil globules

Federica FD-900 具有獨特的i-Drop部件
極速收集八方油煙，中央導煙管內的鋸齒狀
表面高效捕捉微小油珠，把煮食油煙吸得
一乾二淨

Removable Cartridge
易拆式過濾系統 (i-Drop部件)

Oily Fumes
煮食油煙

Oil Tray
油盆

Fluorine-coated Fan
氟塗層風扇




UNIQUE JAPANESE "RBP" TECHNOLOGY 整流板技術

- High Grease and smoke capture efficiency
- Clean design
- Hidden oil filter
- 高油煙捕捉率
- 簡約設計
- 隱藏式過濾系統

整流板

MODEL NAME

LNS FDS FD BT



收集多於80%油煙

SEAMLESS CONSTRUCTION 一體成型無縫結構

- Easy cleaning
- Smooth passage of air
- 容易清潔
- 通風流暢

MODEL NAME

LNS FDS FD



LIGHTING 燈光

Cooker hood with lighting device add brightness to cooking

油煙機設有照明系統供用家煮食時使用

MODEL NAME

LNS FDS LED
FD HALOGEN
BT BULB




INNOVATIVE OIL COLLECTING SYSTEM 創新收集油污系統

- Cooker hood keeps running for 3 minutes more to remove internal grease
- Internal oil grease collect by extra-large oil catch tray
- 油煙機於使用後可額外運作多三分鐘以清除油煙機內部油污
- 排出的油煙會被整流板導入大容量油盒中

MODEL NAME

LNS FDS



超靜音設計

過濾網

斜式整流板

集油盒

創新收集油污系統

CONTROL / SWITCH 控制鍵

Simple button design for cooker hood switch, airflow speed and light switch

簡單按鈕設計控制油煙機開關、風速轉換、燈光

MODEL NAME

LNS FDS ELECTRONIC
SOFT TOUCH
FD BT MECHANICAL
PUSH BUTTON





JAPAN
Made
日本生產

ITALIAN
Design
意大利設計


COLOR
Choices
繽紛任選

FDS-900V


- Stainless Steel (SS) 
- Texture Black (TBK) 
- Texture White (TW) 
- Texture Blue (TBE) 
- Texture Brown (TB) 
- Texture Red (TR) 



Front View 前看



Side View 側看



(FDS-900V includes slide duct cover as set item)

(Unit:mm 單位:毫米)

FDS-900V Technical Specifications 產品規格

Model 型號	Dimension (mm) 尺寸(毫米)	Level 風速	Power Consumption (W) 電耗量	Airflow (m ³ /hr) OPA 氣流	Noise Level (dB) 聲音分貝	Weight (kg) 重量(公斤)	Rated Voltage(V) 電壓比率	(Hz) 電頻
FDS-900V (Ventilating Type) 排氣式	W 900 闊	High 高	183	845	50	26	220	50
	D 530 深	Medium 中	138	720	47			
	H 550-900 高	Low 低	88	500	39			


Efficient airflow using single motor and fan for silent operation and optimal performance. Specifications may vary and subject to change. Illustration is not drawn to scale.

特大風扇單扇打設計可大大減少噪音及增加氣流量效率。規格如有更改，恕不另行通知。圖示並不是按比例繪畫。




- LNS-1100V**
- Stainless Steel (SS) 
 - Texture Black (TBK) 
 - Texture White (TW) 
 - Texture Blue (TBE) 
 - Texture Brown (TB) 
 - Texture Red (TRE) 

Front View 前看



(LNS-1100V includes slide duct cover as set item)

Side View 側看



(Unit:mm 單位:毫米)

LNS-1100V Technical Specifications 產品規格

Model 型號	Dimension (mm) 尺寸(毫米)	Level 風速	Power Consumption (W) 電耗量	Airflow (m ³ /hr) OPa 氣流	Noise Level (dB) 聲音分貝	Weight (kg) 重量(公斤)	Rated Voltage(V) 電壓比率	(Hz) 電頻
LNS-1100V (Ventilating Type) 排氣式	W 1100 闊	High 高	183	845	50	27	220	50
	D 550 深	Medium 中	138	720	47			
	H 550-900 高	Low 低	88	500	39			

Efficient airflow using single motor and fan for silent operation and optimal performance. Specifications may vary and subject to change. Illustration is not drawn to scale.

特大風扇單摩打設計可大大減少噪音及增加氣流量效率。規格如有更改，恕不另行通知。圖示並不是按比例繪畫。




FD-900V/R


- Stainless Steel (SS) 
- Texture Black (TBK) 
- Texture White (TW) 
- Texture Blue (TBE) 
- Texture Brown (TB) 
- Texture Red (TR) 



Front View 前看



Side View 側看



Optional parts
Slide duct cover (For FD-900 V & R)

PARTS NAME	TOTAL HEIGHT(mm)
FDD-100+	760-815
FDD-200+	815-915
FDD-300+	915-1015

FD-900V/R Technical Specifications 產品規格

Model 型號	Dimension (mm) 尺寸(毫米)	Level 風速	Power Consumption (W) 電耗量	Airflow (m ³ /hr) OPA 氣流	Noise Level (dB) 聲音分貝	Weight (kg) 重量(公斤)	Rated Voltage(V) 電壓比率	(Hz) 電頻
FD-900V (Ventilating Type) 排氣式	W 900 闊	High 高	115	555	48	26	220	50
	D 630 深	Medium 中	90	450	43.5			
	H 715 高	Low 低	70	370	38			
FD-900R (Recycling Type) 循環式	W 900 闊	High 高	115	520	52	27	220	50
	D 630 深	Medium 中	85	430	47.5			
	H 715 高	Low 低	70	350	42.5			

* 循環式不須裝喉管

Efficient airflow using single motor and fan for silent operation and optimal performance.
Specifications may vary and subject to change. Illustration is not drawn to scale.


特大風扇單摩打設計可大大減少噪音及增加氣流量效率。
規格如有更改，恕不另行通知。圖示並不是按比例繪畫。

BT-900V/R


Stainless Steel (SS)



Front View 前看



Side View 側看

Optional parts
Slide duct cover (For BT-900 V & R)

COLOUR	PARTS NAME	TOTAL HEIGHT(mm)
STAINLESS STEEL	BTD-100 S	775-830
	BTD-200 S	830-930
	BTD-300 S	930-1030

(Unit:mm 單位:毫米)

BT-900V/R Technical Specifications 產品規格

Model 型號	Dimension (mm) 尺寸(毫米)	Level 風速	Power Consumption (W) 電耗量	Airflow (m ³ /hr) OPa 氣流	Noise Level (dB) 聲音分貝	Weight (kg) 重量(公斤)	Rated Voltage(V) 電壓比率	(Hz) 電頻
BT-900V (Ventilating Type) 排氣式	W 900 闊	High 高	125	500	49	24	220	50
	D 630 深	Medium 中	105	435	45			
	H 730 高	Low 低	90	370	41			
BT-900R (Recycling Type) 循環式	W 900 闊	High 高	125	470	52	25	220	50
	D 630 深	Medium 中	100	410	49			
	H 730 高	Low 低	85	350	45			

* 循環式不須裝喉管

Efficient airflow using single motor and fan for silent operation and optimal performance.
Specifications may vary and subject to change. Illustration is not drawn to scale.特大風扇單打設計可大大減少噪音及增加氣流量效率。
規格如有更改，恕不另行通知。圖示並不是按比例繪畫。

The Dawning ● of Ariaфина
Made in Japan (by Fujioh Manufacturer)

Distributor / Dealer



Sole Agent:
Fidelity (Far East) Trading Co. Ltd

Unit 13-14, 10/F, Technology Park, 18 On Lai St.,
Shatin N.T, Hong Kong

Tel: (852) 2686 8229 Fax.: (852) 2637 0883

Website: www.ff888.com Email: info@ff888.com